AM RICAN FIRE GLASS

FIRE GLASS & BURNERS

Fire Glass | Fire Rocks | DIY Fire Kits | Burners | Accessories

2020

CONTENTS

FIRE GLASS

| 1/2" Premium | 4 - 5 |
|-----------------------|---------|
| 1/2" Classic | 4 - 5 |
| 1/4" Premium | 6 - 7 |
| 1/4" Classic | 6 - 7 |
| Pre-Mixed | 8 - 9 |
| Fire Glass 2.0 | 10 - 11 |
| Recycled | 12 - 13 |
| Fire Beads | 14 |
| Zircon | 14 |
| Fire Glass Calculator | 15 |

FIRE ROCKS

| Lite Stone Balls | 16 - 17 |
|------------------|---------|
| Lite Stones | 18 - 19 |
| Lava Rock | 20 - 21 |
| Tumbled Lava | 20 - 21 |

DIY FIRE PIT KITS

| CSA Burner Kits | 22 - 25 |
|--------------------------|---------|
| Electronic Ignition Kits | 26 - 27 |
| Spark Ignition Kits | 28 - 29 |
| Match Light Kits | 30 - 31 |

BURNERS

| Fire Pit Pans | 32 - 39 |
|----------------|---------|
| Fire Pit RIngs | 40 - 41 |
| H-Burners | 42 - 43 |

ACCESSORIES

| - 45 |
|------|
| - 47 |
| - 49 |
| - 51 |
| |



*Lifetime Warranty on select fire glass & burner products. Must register your product(s) to qualify.



ABOUT US

American Fire Glass® is a pioneer in the fireplace/ fire pit glass and burner products industry. Our team, brand, marketing, packaging, and technology is what sets us apart from anyone else.

At American Fire Glass[®], we strive to achieve excellence In everything we do, including: using the best quality materials, employing state-of-the-art manufacturing processes, implementing stringent quality controls and recruiting the best people to handle all the processes. We leave no stone unturned in our quest to be the very best!

HUMBLE BEGINNINGS

American Fire Glass[®] was founded in early 2004 by Matt and Kelly Doll. Since then, it has grown from a two person operation located in a 400 square foot garage to its newest 20,000 square foot manufacturing facility, serviced by over thirty employees.

AFG TODAY

Today, American Fire Glass® supplies high quality products to many of the best known firms in the hearth, fireplace and firepit industries. In addition to our OEM clients, AFG products can be found in many upscale restaurants, breweries, hotels, sports stadiums, casinos, celebrity homes and beautiful backyards throughout North America.

1/2" FIRE GLASS



1/2" PREMIUM

Azuria Reflective



Copper Reflective



Pacific Blue Reflective



1/2" CLASSIC

Black Reflective



Evergreen Reflective



Starfire Reflective






Cobalt



Starfire





Copper



Bronze Reflective



Gold Reflective



Cobalt Reflective



Gray Reflective






Gray



Clear



Pacific Blue



¼" FIRE GLASS



14" PREMIUM

Azuria Reflective



Cobalt Reflective



Gray Reflective



Black Reflective



Copper Reflective



Pacific Blue Reflective



Bronze Reflective



Evergreen Reflective



Platinum Reflective



Champagne Reflective

23



Gold Reflective



¼" CLASSIC

Azuria







Starfire



Black





Bronze



Gray



Clear



Pacific Blue



www.americanfireglass.com

PRE-MIXED FIRE GLASS





1/2" PRE-MIXED REFLECTIVE

Bali



Maui Breeze



Bora Bora







Las Vegas



Zion



¼″ PRE-MIXED REFLECTIVE





Maui Breeze



Bora Bora



Yosemite



Las Vegas



Zion



FIRE GLASS 2.0



Azuria



Black

Copper



Bronze



Starfire









RECYCLED FIRE PIT GLASS



Auburn



Dark Blue

Onyx





Turquoise











FIRE BEADS

Aqua Blue Luster



Caramel Luster



Glacier Ice



Royal Blue Luster



Twilight Luster





ZIRCON FIRE GLASS

Black Diamond Luster



Midnight Blue Luster



Powder Blue Luster



Rain Drop Luster



www.americanfireglass.com

FIRE GLASS CALCULATOR

HOW MUCH FIRE GLASS DO I NEED?

NOTE: Most fire features require more than 10 pounds of fire glass.

Our 10 pound jars & bags allow for mixing a variety of fire glass colors to customize your fire feature, to top off existing features, or for use in a variety of home craft projects. You can easily calculate how much fire glass you will need by scanning the QR code below, visiting our online calculator at <u>americanfireglass.com/calculator</u>, or checking any of the charts below.

| A | RICAN | Design Lington Parlance | 14-116 | |
|-----|---|--|---|--|
| | RE GLASS FRE ROCKS FIRE PC | S DYTHEOTS ILBUTTO ACCESSIONES A | BOUT FAG CLEARANCE | |
| Fin | ek patiselet plut fre festive faite his | the head the goal you to your cheres will need the your to be head and we will be seen as the result of measurements and | | |
| | stele. Turs II | e deir of measuriment is declared | Fire Glass Calculator | |
| | | network for the Too Seek Program | Word to describe them shach five gains pro wood? Care Inform | |
| | | Round Fire Ph Calculater | Deline Delinitation in | |
| | | 2740000102 (M) (M) | Fire Pit Builder Less hels you huild a fire pit in + any mean. Cick the first | |
| | | Calculate | Beldiar for get star real. Goods: Year rise (74 to | |
| | | The Will need [1] Provide Of Gales | | |
| | | | | |
| | | a most templaces, for testangular and square frequence, with, All measurements descel to make a sector. | | |

ROUND FIRE GLASS CALCULATOR

| Diameter | Fireglass/ lbs | Diameter | Fireglass/ lbs |
|----------|----------------|----------|----------------|
| 12" | 10 | 32" | 90 |
| 14" | 20 | 34" | 100 |
| 16" | 20 | 36" | 110 |
| 18" | 30 | 38" | 120 |
| 20" | 30 | 40" | 130 |
| 22" | 40 | 42" | 150 |
| 24" | 50 | 44" | 160 |
| 26" | 60 | 46" | 180 |
| 28" | 70 | 48" | 190 |
| 30" | 80 | 50" | 210 |

Results are LBS of fire glass. Fire Glass quantity is calculated for a 2" of fire glass depth.

LINEAR / RECTANGULAR FIRE GLASS CALCULATOR

| | 18" | 24" | 30" | 36" | 48" | 60" | 72" |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 6" | 10 | 20 | 20 | 20 | 30 | 40 | 50 |
| 8" | 20 | 20 | 30 | 30 | 40 | 50 | 60 |
| 10" | 20 | 30 | 30 | 40 | 50 | 60 | 80 |
| 12" | 20 | 30 | 40 | 50 | 60 | 80 | 90 |
| 14" | 30 | 40 | 50 | 50 | 70 | 90 | 110 |

Results are LBS of fire glass. Fire Glass quantity is calculated for a 2° of fire glass depth.

SQUARE FIRE GLASS CALCULATOR

-1

| | | 12" | 18" | 24" | 30" | 36" | 42" | 48" | 54" | 60" | 66" | 72" |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Γ | 12" | 20 | 20 | 30 | 40 | 50 | 50 | 60 | 70 | 80 | 80 | 90 |
| | 18" | 20 | 30 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 140 |
| | 24" | 30 | 50 | 60 | 80 | 90 | 110 | 120 | 140 | 150 | 170 | 180 |
| Γ | 30" | 40 | 60 | 80 | 90 | 110 | 130 | 150 | 170 | 190 | 210 | 220 |
| | 36" | 50 | 70 | 90 | 110 | 140 | 160 | 180 | 200 | 220 | 250 | 270 |
| | 42" | 50 | 80 | 110 | 130 | 160 | 180 | 210 | 240 | 260 | 290 | 320 |
| | 48" | 60 | 90 | 120 | 150 | 180 | 210 | 240 | 270 | 300 | 330 | 360 |
| Γ | 54" | 70 | 100 | 140 | 170 | 200 | 240 | 270 | 300 | 340 | 370 | 400 |
| | 60" | 80 | 110 | 150 | 190 | 220 | 260 | 300 | 340 | 370 | 410 | 450 |
| | 66" | 80 | 120 | 170 | 210 | 250 | 290 | 330 | 370 | 410 | 450 | 490 |
| | 72" | 90 | 140 | 180 | 220 | 270 | 320 | 360 | 400 | 450 | 490 | 540 |

Results are LB fire glass depth. Fire Glass quantity is calculat

Results are LBS of fire glass. Fire Glass quantity is calculated for a 2" of fire glass depth.

LITE STONE BALLS



Maximize the effect of your fire feature utilizing modern ceramic technologies, Lite Stone Balls are ideal for indoor and outdoor environments. Our Lite Stone Balls get their color from an environmentally friendly ceramic stain developed to withstand the intense heat and flames. Extremely durable, our Lite Stone Balls are freeze tested & fire approved. Lite Stone Balls are conveniently available in pre-mixed and standard color sets.

Matte Black



Cape Gray



Cottage White



Thunder Gray



Beach Pebble Mix



Natural Mix



Our Lite Stone Balls are available in sets of all uniform 4" balls and mixed sets. Both set types are offered in 4 different colors and 2 designer mixed color sets.

*Beach Pebble Lite Stone Ball Set - Uniform 4"



LITE STONES



Maximize the effect of your fire feature utilizing modern ceramic technologies, Lite Stones are ideal for indoor and outdoor environments. Our Lite Stones get their color from an environmentally friendly ceramic stain developed to withstand the intense heat and flames. Extremely durable, our Lite Stones are freeze tested & fire approved. Lite Stones are conveniently available in pre-mixed and standard color sets.

Matte Black



Cape Gray



Cottage White



Thunder Gray



Beach Pebble Mix



Natural Mix



Our Lite Stone are offered in 4 different colors and 2 designer mixed color sets.

* Natural Set Lite Stones Set - 15 Stone Set



LAVA ROCKS & TUMBLED LAVA



LAVA ROCKS

Small - ¼″ - ½″



Medium - ½" - 1"



XXL - 4″ - 6″



TUMBLED LAVA

Small - $\frac{1}{2}$ Medium - 1" - 2"Large - 2" - 3"Image: Small - $\frac{1}{2}$ Image: Small - \frac{1}{2}Image: Small - $\frac{1}{2}$ Image: Small - \frac{1}{2}Image: Small - \frac{1}{2}Image: Small - $\frac{1}{2}$ Image: Small - \frac{1}{2}Image: Small - \frac{1}{2}<tr<tr/>Image: Small





* Medium Lava Rock

CSA CERTIFIED BURNER KITS



WHAT'S INCLUDED

- Stainless Steel: Manufactured using rust resistant 304 stainless steel, this fire pit burner pan is built for longevity and performance.
- Flame Sensor: Automatic flame sensor "thermocouple" detects presence of flames & closes the gas line if the flames are extinguished. • Spark Ignition Pilot Assembly: Battery powered push button ignites the flame using a rapid spark ignition.
- Units are shipped ready to install using Propane Gas. Natural Gas conversion kits are available.
- CSA Certified: Certified under ANS Z21.97-2014/CSA 2.41-2014, Outdoor Decorative Gas Appliance.



CSA ROUND DROP-IN KITS

When designing a Fire Feature, Safety should always be your number one concern. The CSA certified Fire Pit Pan Burner product line from American Fire Glass[®] is designed and crafted to be compliant with international CSA certifications.



CSA RECTANGULAR DROP-IN PANS

When designing a Fire Feature, Safety should always be your number one concern. The CSA certified Fire Pit Pan Burner product line from American Fire Glass[®] is designed and crafted to be compliant with international CSA certifications.



CSA LINEAR DROP-IN PANS

- Stainless Steel: Manufactured using rust resistant 304 stainless steel, this fire pit burner pan is built for longevity and performance.
- Flame Sensor: Automatic flame sensor "thermocouple" detects presence of flames & closes the gas line if the flames are extinguished.
- Spark Ignition Pilot Assembly: Battery powered push button ignites the flame using a rapid spark ignition.
- Units are shipped ready to install using Propane Gas. Natural Gas conversion kits are available.
- CSA Certified: Certified under ANS Z21.97-2014/CSA 2.41-2014, Outdoor Decorative Gas Appliance.



ELECTRONIC IGNITION KITS

SMART IGNITION TECHNOLOGY

The American Fire Glass[®] S.I.T. System (Smart Ignition Technology) configuration provides the highest level of intelligence and safety for Natural Gas or Propane outdoor fire features. With the flip of a switch, outdoor fire features are turned on or off, and are constantly monitored for the presence of fire. If fire is not detected, the S.I.T. System automatically makes multiple attempts to re-light, and in the event of the fire feature not properly re-lighting, the system automatically closes the internal gas valve as a safety precaution.



Round Flat Pans with Electronic Ignition Kits

| SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
|-----------------|----------|-------------|----------|---------|
| SS-RFPSIT-N-12 | 12" | 6" | Natural | 88,000 |
| SS-RFPSIT-N-18 | 18" | 12" | Natural | 92,000 |
| SS-RFPSIT-N-24 | 24" | 18" | Natural | 147,000 |
| SS-RFPSIT-N-30 | 30" | 18" | Natural | 147,000 |
| SS-RFPSIT-N-30H | 30" | 24" | Natural | 297,000 |
| SS-RFPSIT-N-36 | 36" | 18" | Natural | 147,000 |
| SS-RFPSIT-N-36H | 36" | 30" | Natural | 443,000 |
| SS-RFPSIT-P-12 | 12" | 6" | Propane | 88,000 |
| SS-RFPSIT-P-18 | 18" | 12" | Propane | 92,000 |
| SS-RFPSIT-P-24 | 24" | 18" | Propane | 147,000 |
| SS-RFPSIT-P-30 | 30" | 18" | Propane | 147,000 |
| SS-RFPSIT-P-30H | 30" | 24" | Propane | 297,000 |
| SS-RFPSIT-P-36 | 36" | 18" | Propane | 147,000 |
| SS-RFPSIT-P-36H | 36" | 30" | Propane | 443,000 |



SKU PAN SIZE **BURNER SIZE GAS TYPE** BTU SS-RSPSIT-N-19 19" 12" Natural 92,000 SS-RSPSIT-N-25 25" 18" Natural 147,000 SS-RSPSIT-P-19 12" 92,000 19" Propane SS-RSPSIT-P-25 25" 18" Propane 147,000

Round Drop-In Pans with Electronic Ignition Kits



* Available in oil rubbed bronze & staineless steel. Oil Rubbed Bronze SKU's start with OB instead of SS. **See pages 37-39 for a better look.**

| WARPLESS |
|----------|
| |
| |
| |
| |

Square Drop-In Pans with Electronic Ignition Kits



Rectangular Drop-In Pans with Electronic Ignition Kits

*

| SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
|-----------------|---|--|--|---|
| SS-SQPSIT-N-12 | 12" x 12" | 6" | Natural | 88,000 |
| SS-SQPSIT-N-18 | 18" x 18" | 12" | Natural | 92,000 |
| SS-SQPSIT-N-24 | 24" x 24" | 18" | Natural | 147,000 |
| SS-SQPSIT-N-30 | 30" x 30" | 18" | Natural | 147,000 |
| SS-SQPSIT-N-30H | 30" x 30" | 24" | Natural | 297,000 |
| SS-SQPSIT-N-36 | 36" x 36" | 18" | Natural | 147,000 |
| SS-SQPSIT-N-36H | 36" x 36" | 30 | Natural | 443,000 |
| SS-SQPSIT-P-12 | 12" x 12" | 6" | Propane | 88,000 |
| SS-SQPSIT-P-18 | 18" x 18" | 12" | Propane | 92,000 |
| SS-SQPSIT-P-24 | 24" x 24" | 18" | Propane | 147,000 |
| SS-SQPSIT-P-30 | 30" x 30" | 18" | Propane | 147,000 |
| SS-SQPSIT-P-30H | 30" x 30" | 24" | Propane | 297,000 |
| SS-SQPSIT-P-36 | 36" x 36" | 18" | Propane | 147,000 |
| SS-SQPSIT-P-36H | 36" x 36" | 30 | Propane | 443,000 |
| | SS-SQPSIT-N-12 SS-SQPSIT-N-18 SS-SQPSIT-N-24 SS-SQPSIT-N-30 SS-SQPSIT-N-30H SS-SQPSIT-N-36 SS-SQPSIT-N-36H SS-SQPSIT-P-12 SS-SQPSIT-P-18 SS-SQPSIT-P-24 SS-SQPSIT-P-30 SS-SQPSIT-P-30H SS-SQPSIT-P-36 | SS-SQPSIT-N-12 12" x 12" SS-SQPSIT-N-18 18" x 18" SS-SQPSIT-N-24 24" x 24" SS-SQPSIT-N-30 30" x 30" SS-SQPSIT-N-30H 30" x 30" SS-SQPSIT-N-36H 36" x 36" SS-SQPSIT-N-36H 36" x 36" SS-SQPSIT-N-36H 36" x 36" SS-SQPSIT-N-36H 36" x 36" SS-SQPSIT-P-12 12" x 12" SS-SQPSIT-P-18 18" x 18" SS-SQPSIT-P-24 24" x 24" SS-SQPSIT-P-30 30" x 30" SS-SQPSIT-P-30H 30" x 30" SS-SQPSIT-P-36 36" x 36" | SS-SQPSIT-N-12 12" x 12" 6" SS-SQPSIT-N-18 18" x 18" 12" SS-SQPSIT-N-24 24" x 24" 18" SS-SQPSIT-N-30 30" x 30" 18" SS-SQPSIT-N-30H 30" x 30" 24" SS-SQPSIT-N-36H 36" x 36" 18" SS-SQPSIT-N-36H 36" x 36" 30 SS-SQPSIT-N-36H 36" x 36" 30 SS-SQPSIT-N-36H 36" x 36" 18" SS-SQPSIT-N-36H 36" x 36" 18" SS-SQPSIT-P-12 12" x 12" 6" SS-SQPSIT-P-18 18" x 18" 12" SS-SQPSIT-P-24 24" x 24" 18" SS-SQPSIT-P-30 30" x 30" 18" SS-SQPSIT-P-30H 30" x 30" 24" SS-SQPSIT-P-36 36" x 36" 18" | SS-SQPSIT-N-12 12" x 12" 6" Natural SS-SQPSIT-N-18 18" x 18" 12" Natural SS-SQPSIT-N-24 24" x 24" 18" Natural SS-SQPSIT-N-30 30" x 30" 18" Natural SS-SQPSIT-N-30 30" x 30" 24" Natural SS-SQPSIT-N-30H 30" x 30" 24" Natural SS-SQPSIT-N-36 36" x 36" 18" Natural SS-SQPSIT-N-36H 36" x 36" 18" Natural SS-SQPSIT-N-36H 36" x 36" 30 Natural SS-SQPSIT-P-12 12" x 12" 6" Propane SS-SQPSIT-P-18 18" x 18" 12" Propane SS-SQPSIT-P-24 24" x 24" 18" Propane SS-SQPSIT-P-30 30" x 30" 18" Propane SS-SQPSIT-P-30H 30" x 30" 24" Propane SS-SQPSIT-P-36 36" x 36" 18" Propane |

| SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
|-----------------|-----------|-------------|----------|---------|
| SS-AFPPSIT-N-18 | 18" x 6" | 14" x 4" | Natural | 70,000 |
| SS-AFPPSIT-N-24 | 24" x 8" | 20" x 4" | Natural | 120,000 |
| SS-AFPPSIT-N-30 | 30" x 10" | 26" x 6" | Natural | 125,000 |
| SS-AFPPSIT-N-36 | 36" x 12" | 32" x 8" | Natural | 165,000 |
| SS-AFPPSIT-N-48 | 48" x 14" | 44" x 10" | Natural | 219,000 |
| | | | | |
| SS-AFPPSIT-P-18 | 18" x 6" | 14" x 4" | Propane | 70,000 |
| SS-AFPPSIT-P-24 | 24" x 8" | 20" x 4" | Propane | 120,000 |
| SS-AFPPSIT-P-30 | 30" x 10" | 26" x 6" | Propane | 125,000 |
| SS-AFPPSIT-P-36 | 36" x 12" | 32" x 8" | Propane | 165,000 |
| SS-AFPPSIT-P-48 | 48" x 14" | 44" x 10" | Propane | 219,000 |
| | | | | |

| 6. | | | | | |
|----|----------------|----------|-------------|----------|---------|
| | SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
| | SS-LCBSIT-N-30 | 30" x 6" | 27" x 1/2" | Natural | 60,000 |
| | SS-LCBSIT-N-36 | 36" x 6" | 33" x 1/2" | Natural | 75,000 |
| | SS-LCBSIT-N-48 | 48" x 6" | 45" x 1/2" | Natural | 120,000 |
| | SS-LCBSIT-N-60 | 60" x 6" | 57" x 1/2" | Natural | 130,000 |
| | SS-LCBSIT-N-72 | 72" x 6" | 69" x 1/2" | Natural | 175,000 |
| | | | | | |
| | SS-LCBSIT-P-30 | 30" x 6" | 27" x 1/2" | Propane | 60,000 |
| | SS-LCBSIT-P-36 | 36" x 6" | 33" x 1/2" | Propane | 75,000 |
| | SS-LCBSIT-P-48 | 48" x 6" | 45" x 1/2" | Propane | 120,000 |
| | SS-LCBSIT-P-60 | 60" x 6" | 57" x 1/2" | Propane | 130,000 |
| | SS-LCBSIT-P-72 | 72" x 6" | 69" x 1/2" | Propane | 175,000 |
| | | | | | |

Linear Drop-In Pans with Electronic Ignition Kits

*

SPARK IGNITION KITS

SPARK IGNITION TECHNOLOGY

The American Fire Glass[®] Spark Ignition configuration provides an all inclusive option to installing, operating, and igniting a Natural Gas or Propane outdoor fire feature by including all of the components to install into a fire feature structure, and includes a gas key valve, hoses, and battery powered push button rapid fire spark ignitor.

| | SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
|------------------------|-----------------|----------|-------------|----------|---------|
| | SS-RFPKIT-N-12 | 12" | 6" | Natural | 88,000 |
| 7 | SS-RFPKIT-N-18 | 18" | 12" | Natural | 92,000 |
| | SS-RFPKIT-N-24 | 24" | 18" | Natural | 147,000 |
| 1 | SS-RFPKIT-N-30 | 30" | 18" | Natural | 147,000 |
| 9/10 | SS-RFPKIT-N-30H | 30" | 24" | Natural | 297,000 |
| | SS-RFPKIT-N-36 | 36" | 18" | Natural | 147,000 |
| | SS-RFPKIT-N-36H | 36" | 30" | Natural | 443,000 |
| | SS-RFPKIT-P-12 | 12" | 6" | Propane | 88,000 |
| $\neg \cap$ | SS-RFPKIT-P-18 | 18" | 12" | Propane | 92,000 |
| | SS-RFPKIT-P-24 | 24" | 18" | Propane | 147,000 |
| - O | SS-RFPKIT-P-30 | 30" | 18" | Propane | 147,000 |
| Pans with tion Kits | SS-RFPKIT-P-36 | 36" | 18" | Propane | 147,000 |
| Ignition Kits | | | | | |

| SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
|----------------|----------|-------------|----------|---------|
| SS-RSPKIT-N-19 | 19" | 12" | Natural | 92,000 |
| SS-RSPKIT-N-25 | 25" | 18" | Natural | 147,000 |
| SS-RSPKIT-P-19 | 19" | 12" | Propane | 92,000 |
| SS-RSPKIT-P-25 | 25" | 18" | Propane | 147,000 |

Round Drop-In Pans with Spark Ignition Kits



* Available in oil rubbed bronze & staineless steel. Oil Rubbed Bronze SKU's start with OB instead of SS. **See pages 37-39 for a better look.**

| SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
|--------------------|-----------|-------------|----------|---------|
| SS-SQPKIT-N-12 | 12" x 12" | 6" | Natural | 88,000 |
| SS-SQPKIT-N-18 | 18" x 18" | 12" | Natural | 92,000 |
| SS-SQPKIT-N-24 | 24" x 24" | 18" | Natural | 147,000 |
| SS-SQPKIT-N-30 | 30" x 30" | 18" | Natural | 147,000 |
| SS-SQPKIT-N-30H | 30" x 30" | 24" | Natural | 297,000 |
| SS-SQPKIT-N-36 | 36" x 36" | 18" | Natural | 147,000 |
| SS-SQPKIT-N-36H | 36" x 36" | 30 | Natural | 443,000 |
| | | | | |
| SS-SQPKIT-P-12 | 12" x 12" | 6" | Propane | 88,000 |
| SS-SQPKIT-P-18 | 18" x 18" | 12" | Propane | 92,000 |
| SS-SQPKIT-P-24 | 24" x 24" | 18" | Propane | 147,000 |
| SS-SQPKIT-P-30 | 30" x 30" | 18" | Propane | 147,000 |
| SS-SQPKIT-P-36 | 36" x 36" | 18" | Propane | 147,000 |
| | | | | |

WARPLESS

Square Drop-In Pans with Spark Ignition Kits

Rectangular Drop-In Pans

with Spark Ignition Kits


Linear Drop-In Pans with

Spark Ignition Kits

*

IFETIME

| SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
|-----------------|-----------|-------------|----------|---------|
| SS-AFPPKIT-N-18 | 18" x 6" | 14" x 4" | Natural | 70,000 |
| SS-AFPPKIT-N-24 | 24" x 8" | 20" x 4" | Natural | 120,000 |
| SS-AFPPKIT-N-30 | 30" x 10" | 26" x 6" | Natural | 125,000 |
| SS-AFPPKIT-N-36 | 36" x 12" | 32" x 8" | Natural | 165,000 |
| SS-AFPPKIT-N-48 | 48" x 14" | 44" x 10" | Natural | 219,000 |
| SS-AFPPKIT-P-18 | 18" x 6" | 14" x 4" | Propane | 70,000 |
| SS-AFPPKIT-P-24 | 24" x 8" | 20" x 4" | Propane | 120,000 |
| SS-AFPPKIT-P-30 | 30" x 10" | 26" x 6" | Propane | 125,000 |
| SS-AFPPKIT-P-36 | 36" x 12" | 32" x 8" | Propane | 165,000 |
| SS-AFPPKIT-P-48 | 48" x 14" | 44" x 10" | Propane | 219,000 |



MATCH LIGHT KITS

MATCH LIGHT TECHNOLOGY

The American Fire Glass[®] Match Light configuration provides a "Keep it Simple" approach to installing and operating a Natural Gas or whole house Propane fire feature by including all of the components to install into a fire feature structure, and allows the user to use their own method to ignite the fire.

| LIFETIME | SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
|--|------------------|----------|--|----------|---------|
| Statice was | SS-RFPMKIT-N-12 | 12" | 6" | Natural | 88,000 |
| | SS-RFPMKIT-N-18 | 18" | 12" | Natural | 92,000 |
| | SS-RFPMKIT-N-24 | 24" | 18" | Natural | 147,000 |
| | SS-RFPMKIT-N-30 | 30" | 18" | Natural | 147,000 |
| | SS-RFPMKIT-N-30H | 30" | 24" | Natural | 297,000 |
| | SS-RFPMKIT-N-36 | 36" | 18" | Natural | 147,000 |
| | SS-RFPMKIT-N-36H | 36" | 30" | Natural | 443,000 |
| \sim | SS-RFPMKIT-P-12 | 12" | 6" | Propane | 88,000 |
| (_ | SS-RFPMKIT-P-18 | 18" | 12" | Propane | 92,000 |
| Contraction of the second seco | SS-RFPMKIT-P-24 | 24" | 18" | Propane | 147,000 |
| Round Flat Pans with | SS-RFPMKIT-P-30 | 30" | 18" | Propane | 147,000 |
| Match Light Kits | SS-RFPMKIT-P-36 | 36" | 18" | Propane | 147,000 |
| WARPLESS DESIGN THE DESIGN | SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
| | SS-RSPMKIT-N-19 | 19" | 12" | Natural | 92,000 |
| | SS-RSPMKIT-N-25 | 25" | 18" | Natural | 147,000 |
| | SS-RSPMKIT-P-19 | 19" | 12" | Propane | 92,000 |
| | SS-RSPMKIT-P-25 | 25" | 18" | Propane | 147,000 |
| Round Drop-In Pans with Match Light Kits | | | | | |
| * | | | onze & staineless ste d of SS. See pages 3 | | |

| | SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
|---|------------------|-----------|-------------|----------|---------|
| | SS-SQPMKIT-N-12 | 12" x 12" | 6" | Natural | 88,000 |
| | SS-SQPMKIT-N-18 | 18" x 18" | 12" | Natural | 92,000 |
| | SS-SQPMKIT-N-24 | 24" x 24" | 18" | Natural | 147,000 |
| 1 | SS-SQPMKIT-N-30 | 30" x 30" | 18" | Natural | 147,000 |
| | SS-SQPMKIT-N-30H | 30" x 30" | 24" | Natural | 297,000 |
| | SS-SQPMKIT-N-36 | 36" x 36" | 18" | Natural | 147,000 |
| | SS-SQPMKIT-N-36H | 36" x 36" | 30 | Natural | 443,000 |
| | | | | | |
| | SS-SQPMKIT-P-12 | 12" x 12" | 6" | Propane | 88,000 |
| | SS-SQPMKIT-P-18 | 18" x 18" | 12" | Propane | 92,000 |
| | SS-SQPMKIT-P-24 | 24" x 24" | 18" | Propane | 147,000 |
| | SS-SQPMKIT-P-30 | 30" x 30" | 18" | Propane | 147,000 |
| | SS-SQPMKIT-P-36 | 36" x 36" | 18" | Propane | 147,000 |
| | | | | | |

| <u>à.</u> | | | | | |
|-----------|------------------|-----------|-------------|----------|---------|
| | SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
| | SS-AFPPMKIT-N-18 | 18" x 6" | 14" x 4" | Natural | 70,000 |
| | SS-AFPPMKIT-N-24 | 24" x 8" | 20" x 4" | Natural | 120,000 |
| | SS-AFPPMKIT-N-30 | 30" x 10" | 26" x 6" | Natural | 125,000 |
| | SS-AFPPMKIT-N-36 | 36" x 12" | 32" x 8" | Natural | 165,000 |
| | SS-AFPPMKIT-N-48 | 48" x 14" | 44" x 10" | Natural | 219,000 |
| | SS-AFPPMKIT-P-18 | 18" x 6" | 14" x 4" | Propane | 70,000 |
| | SS-AFPPMKIT-P-24 | 24" x 8" | 20" x 4" | Propane | 120,000 |
| | SS-AFPPMKIT-P-30 | 30" x 10" | 26" x 6" | Propane | 125,000 |
| | SS-AFPPMKIT-P-36 | 36" x 12" | 32" x 8" | Propane | 165,000 |
| | SS-AFPPMKIT-P-48 | 48" x 14" | 44" x 10" | Propane | 219,000 |
| | | | | | |

| - | | | | | |
|---|-----------------|----------|-------------|----------|---------|
| | SKU | PAN SIZE | BURNER SIZE | GAS TYPE | BTU |
| | SS-LCBMKIT-N-30 | 30" x 6" | 27" x 1/2" | Natural | 60,000 |
| | SS-LCBMKIT-N-36 | 36" x 6" | 33" x 1/2" | Natural | 75,000 |
| | SS-LCBMKIT-N-48 | 48" x 6" | 45" x 1/2" | Natural | 120,000 |
| | SS-LCBMKIT-N-60 | 60" x 6" | 57" x 1/2" | Natural | 130,000 |
| | SS-LCBMKIT-N-72 | 72" x 6" | 69" x 1/2" | Natural | 175,000 |
| | | | | _ | |
| | SS-LCBMKIT-P-30 | 30" x 6" | 27" x 1/2" | Propane | 60,000 |
| | SS-LCBMKIT-P-36 | 36" x 6" | 33" x 1/2" | Propane | 75,000 |
| | SS-LCBMKIT-P-48 | 48" x 6" | 45" x 1/2" | Propane | 120,000 |
| | SS-LCBMKIT-P-60 | 60" x 6" | 57" x 1/2" | Propane | 130,000 |
| | SS-LCBMKIT-P-72 | 72" x 6" | 69" x 1/2" | Propane | 175,000 |
| | | | | | |

Square Drop-In Pans with Match Light Kits

WARPLE

13

WARPI

JIFEŤIME

WARPLE

-13



Rectangular Drop-In Pans with Match Light Kits

Linear Drop-In Pans with Match Light Kits

*

FIRE PIT PANS STAINLESS STEEL



ROUND DROP-IN PANS WITH PRE-INSTALLED RING

American Fire Glass® Round Drop-In Pans are easy to install, featuring a 2 ½" depth, 1 ¼[~] support rim, ½[~] nipple, and drilled weep holes. These weep holes allow proper drainage of water. Manufactured using high quality .304 stainless steel, these pans can withstand high temperatures and exposure to the elements. You can use our drop-in Fire Pit Pans in both propane and natural gas applications. Every pan includes a removable plate for ignition upgrade options.



ROUND FLAT PANS WITH PRE-INSTALLED RING

Our American Fire Glass[®] Round Flat Pans are manufactured using high quality .304 stainless steel, and are sturdy, weather resistant, and durable, making them perfect for outdoor fire pits. Designed for a concealed look when used with stack stone, concrete block, precast bowls, tile or many other fire pit components. Pre-drilled weep holes allow proper drainage of water. Available in a large variety of sizes, we have the right pan for your fire pit. Every pan includes a removable plate for ignition upgrade options.



RECTANGULAR DROP-IN PANS

American Fire Glass® Rectangular Drop-in Pans are easy to install, featuring a 2 ½[°] depth, 1 ¼[°] support rim, ½[°] nipple, and drilled weep holes. These weep holes allow proper drainage of water. Manufactured using high quality .304 stainless steel, these pans can withstand high temperatures and exposure to the elements. You can use our Drop-in Fire Pit Pans in both propane and natural gas applications. Every pan includes a removable plate for ignition upgrade options.



LINEAR DROP-IN PANS

Designed much like our rectangular pans, our American Fire Glass[®] Linear Drop-in Pans are great when a narrower presence of flame is desired. Our Linear Drop-in Pans are easy to install, featuring a 2 ½[°] depth, 1 ¼[°] support rim, ½[°] nipple, and drilled weep holes. These weep holes allow proper drainage of water. Manufactured using high quality .304 stainless steel, these pans can withstand high temperatures and exposure to the elements. You can use our Drop-in Fire Pit Pans in both propane and natural gas applications. Every pan includes a removable plate for ignition upgrade options.



FIRE PIT PANS OIL RUBBED BRONZE



ΤO

OIL RUBBED BRONZE ROUND DROP-IN PANS WITH PRE-INSTALLED RING

American Fire Glass[®] Oil Rubbed Bronze Round Drop-In Pans are easy to install, featuring a 2 ½" depth, 1 ¼" support rim, ½" nipple, and drilled weep holes. These weep holes allow proper drainage of water. Manufactured using high quality stainless steel, these pans can withstand high temperatures and exposure to the elements. You can use our Oil Rubbed Bronze Drop-In Fire Pit Pans in both propane and natural gas applications. Every pan includes a removable plate for ignition upgrade options.



OIL RUBBED RECTANGULAR DROP-IN PANS

American Fire Glass[®] Oil Rubbed Bronze Rectangular Drop-in Pans are easy to install, featuring a 2 ½["] depth, 1 ¼["] support rim, ½["] nipple, and drilled weep holes. These weep holes allow proper drainage of water. Manufactured using high quality stainless steel, these pans can withstand high temperatures and exposure to the elements. You can use our Oil Rubbed Bronze Drop-in Fire Pit Pans in both propane and natural gas applications. Every pan includes a removable plate for ignition upgrade options.



OIL RUBBED LINEAR DROP-IN PANS

Designed much like our rectangular pans, our American Fire Glass[®] Oil Rubbed Bronze Linear Drop-in Pans are great when a narrower presence of flame is desired. Our Oil Rubbed Bronze Linear Drop-in Pans are easy to install, featuring a 2 ½[°] depth, 1 ¼[°] support rim, ½[°] nipple, and drilled weep holes. These weep holes allow proper drainage of water. Manufactured using high quality stainless steel, these pans can withstand high temperatures and exposure to the elements. You can use our Oil Rubbed Bronze Drop-in Fire Pit Pans in both propane and natural gas applications. Every pan includes a removable plate for ignition upgrade options.




FIRE PIT RINGS



FIRE PIT RINGS

If you are looking to build a new fire pit or give a makeover to your existing one with colorful Fire Glass or Fire Rocks, then our Fire Pit Rings are the right choice for you. American Fire Glass® Fire Pit Rings feature a cross bar single, double, or triple ring design, that allows gas to circulate better giving you a bigger, more realistic "camp fire" like flame. AFG Fire Pit Rings are made using only high quality .304 stainless steel, which gives it immense strength and resistance to rusting. Our Fire Pit Rings are available in a wide variety of sizes, so you can choose the one that best fits your fire pit. While choosing, you will need to make sure that the Fire Pit Ring is at least 6" smaller than the interior diameter of your fire pit.



H-BURNERS



H-BURNERS

American Fire Glass[®] H-Burners are designed specifically for use with Fire Glass and Fire Rocks. The dual rows provide the burner optimal flame for Fire Rocks or Fire Glass, and the ergonomic design creates a flame that is large, and spreads evenly across the entire fireplace. AFG offers H-burners in a variety of sizes that we manufacture using top quality .304 stainless steel. It is the perfect candidate for a simple installation. You will just need to install the burner, and your fireplace will be ready for an amazing fire display. The holes are drilled and not punched so you will not get the constant whistling noise often found with cheap imitation burners.



FLAME GUARDS



FLAME GUARDS

American Fire Glass[®] Fire Pit Flame Guards are specifically crafted to surround, control, and protect fire pits from the potentially damaging effects of wind-blown flame. Our Flame Guards are constructed of tempered safety glass, with polished edges and easy to assemble chrome corner brackets. We recommend the use of our Flame Guards in all fire pit installations located in potentially breezy and/or windy areas.



SQUARE FLAME GUARDS

| FG-SQP-12 | 17.5" X 17.5" X 6" |
|------------|--------------------|
| FG-SQP-18 | 23.5" X 23.5" X 6" |
| FG-SQP-24 | 29.5" X 29.5" X 6" |
| FG-SQP-30 | 35.5" X 35.5" X 6" |
| FG-SQP-36* | 41.5" X 41.5" X 6" |

RECTANGULAR FLAME GUARDS

| FG-AFPP-18 | | 23.5" X 11.5" X 6" |
|-------------|--|--------------------|
| FG-AFPP-24 | | 29.5" X 13.5" X 6" |
| FG-AFPP-30 | | 35.5" X 15.5" X 6" |
| FG-AFPP-36* | | 41.5" X 17.5" X 6" |
| FG-AFPP-48* | | 53.5" X 19.5" X 6" |





LINEAR FLAME GUARDS

| FG-LCB-30 | | 35.5" X 11.5" X 6" |
|------------|--|--------------------|
| FG-LCB-36* | | 41.5" X 11.5" X 6" |
| FG-LCB-48* | | 53.5" X 11.5" X 6" |
| FG-LCB-60* | | 65.5" X 11.5" X 6" |
| FG-LCB-72* | | 77.5" X 11.5" X 6" |





ROUND FLAME GUARDS

FG-RSP-19 | 23" X 8" FG-RSP-25 | 29" X 8"



BURNER COVERS



BURNER COVERS

As with our quality burner pans, our American Fire Glass[®] Fire Pit Burner Covers are crafted from high quality .304 stainless steel, with a smooth brushed finish and a heavy duty solid chrome handle. Our Pan Covers are made to compliment and completely protect their corresponding Drop-in Pan Units. We strongly recommend that you consider protecting your fire feature investment with our quality Fire Pit Burner Covers.



ROUND COVERS

| SS-CV-BSP-19 | I | 22" X 22" X 2.5" |
|--------------|---|------------------|
| | | 28" X 28" X 2.5" |
| 33-0V-N3F-25 | I | 20 A 20 A 2.3 |
| | | |
| OB-CV-RSP-19 | | 22" X 22" X 2.5" |
| OB-CV-RSP-25 | | 28" X 28" X 2.5" |

RECTANGULAR COVERS

| SS-CV-AFPP-18 | Ι | 9" X 21" X 2.5" |
|--------------------------------|----------------|--------------------------------------|
| SS-CV-AFPP-24 | | 11" X 27" X 2.5" |
| SS-CV-AFPP-30 | | 13" X 33" X 2.5" |
| SS-CV-AFPP-36 | | 15" X 39" X 2.5" |
| SS-CV-AFPP-48 | Ι | 17" X 51" X 2.5" |
| | | |
| | | |
| OB-CV-AFPP-18 | | 9" X 21" X 2.5" |
| OB-CV-AFPP-18 OB-CV-AFPP-24 | | 9" X 21" X 2.5" 11" X 27" X 2.5" |
| | | |
| OB-CV-AFPP-24 | | 11" X 27" X 2.5" |
| OB-CV-AFPP-24 OB-CV-AFPP-30 | | 11" X 27" X 2.5" 13" X 33" X 2.5" |





LINEAR COVERS

| SS-CV-LCB-30 | Ι | 33" X 9" X 1.5" |
|--------------|---|-----------------|
| SS-CV-LCB-36 | Ι | 39" X 9" X 1.5" |
| SS-CV-LCB-48 | Ι | 51" X 9" X 1.5" |
| SS-CV-LCB-60 | Ι | 63" X 9" X 1.5" |
| SS-CV-LCB-72 | Ι | 75" X 9" X 1.5" |
| | | |
| OB-CV-LCB-30 | Ι | 33" X 9" X 1.5" |
| OB-CV-LCB-36 | Ι | 39" X 9" X 1.5" |
| OB-CV-LCB-48 | Ι | 51" X 9" X 1.5" |
| OB-CV-LCB-60 | | 63" X 9" X 1.5" |
| OB-CV-LCB-72 | Ι | 75" X 9" X 1.5" |
| | | |

SQUARE COVERS

| SS-CV-SQP-12 | | 15" X 15" X 2.5" |
|--------------|--|------------------|
| SS-CV-SQP-18 | | 21" X 21" X 2.5" |
| SS-CV-SQP-24 | | 27" X 27" X 2.5" |
| SS-CV-SQP-30 | | 33" X 33" X 2.5" |
| SS-CV-SQP-36 | | 39" X 39" X 2.5" |
| | | |



FITTINGS & PARTS



FIRE PIT CONNECTION KITS



High Capacity Flex Line Kit AFG-FPIK-N-HC High capacity • 24" long stainless ³4" hoses Up to 350k BTU's • Natural Gas • Commercial Grade



Standard Capacity Flex Line Kit AFG-SIT-HOSEKIT Standard capacity • 34" long stainless ½" hoses Up to 250k BTU's • Natural Gas • Commercial Grade



Portable Tank Propane Hose Kit AFG-FPIK-P Portable tank propane hose kit Up to 125k BTU's



Natural Gas Hose Kit AFG-FPIK-N Natural gas hose kit Up to 200k BTU's



Quick Disconnect Long Hose Kit AFG-FPLP 12 foot propane hose • Quick disconnect fittings • Up to 150k BTU's

GAS FITTINGS & ACCESSORIES



SPARK IGNITOR KIT AFG-PBIKIT



AIR MIXERS



GAS FITTINGS Available in ³/8", ¹/2" and ³/4" Straight and Angled



GAS VALVES Available in ³/8", ¹/2" and ³/4" Straight and Angled



FLEX LINE KITS



VALVE HOSES



GAS KEY VALVE Standard ½" - up to 250k BTU's Angled Standard ½" - Up to 250k BTU's High Capacity ¾" - up to 350k BTU's

DEALER TOOLS



Jewel Jar POP Display

Stocking American Fire Glass® is a sure fire way to dramatically increase sales. Our display holds 36 jars that will sell themselves.



10 LB Jewel Jar

Jewel Jars have transformed how Fire Glass is delivered to the consumer. The Jewel Jar design and eye-catching graphics allow for a confident purchase of superior quality American Fire Glass[®].



10 LB Drop-Ship Bag

Whether you are an E-Commerce business or a Contractor, these bags were designed with you in mind. We can ship up to 6 bags per box direct to your customer.



Burner POP Display

This rolling trilateral display will allow you to showcase multiple great offers from our American Fire Glass® burner line. We know that visual marketing is an important aspect to selling products and this Tri-Sided Burner Display Rack will draw the attention of potential customers from any direction.



Catalog

The American Fire Glass[®] product catalog should be part of every dealers marketing toolkit. This professionally designed brochure features more than 1200 products and offers full color high quality product images giving your customers the opportunity to find what they need for all of their fire media needs.



Fire Glass Sample Cards

Coming soon! This 20 pocket sample card comes in 2 different offerings and features our top selling colors, and packed with fire glass information to help educate customers on their purchase.



Tri-Folds (25-pack)

A single trifold brochure provides 6 individual panels split between the front and back of the leaflet allowing you to easily introduce your customer to all of our fire media products.







570 Third Street, Lake Elsinore, CA 92530-2729 Phone: 888-264-1017 • Fax: 888-679-3149 www.americanfireglass.com